



www.softbase.co.kr Copyright $\ensuremath{\mathbb{C}}$ SOFTBase Inc. All rights reserved.



1
_
 1
1
 -
 1
1
 Ŧ
 1
С
 2
 4
7
 /
 8
0
 9



.

•

- <CONTROL> + "D" "" • ,

control_name	가			((,))	
icon_width		(0:)			
submenu_width		(0:)				
submenu_position)	(expar	nd: 7	ŀ		, overlap:
navibar_home_normal		normal				
navibar_prev_normal	가	norn	nal			
navibar_height		(0:)				

•

HTML5

.

가 .



,

가 .

,

가 name txt



가

.



link_data

Transaction	'x	DataSet 가'		가	
(Transaction			→ Transactior	1)
	xDataSet List	X, G G 4			
	순번 x 1	DataSet ID tID_01	Description		
	xDataSet	xTranMap			

Source

1

.

,

Design

xDataSet Column

•

xData	Set	t Column 🔣 🖁 🕺 🖸	Ĩ0	집 집 중 중 금 공 🖉	I	
순번		Column		Description	Length	Update Callback Function
1		DEPTH	메	뉴의 깊이		
2		TEXT	Ŧ	시할 텍스		
3		ID	메	뉴를 구분하는 ID		
4		TYPE	메	뉴 유형 ('menu'/'separator')		
5		ICON_NORMAL	좌	측 아이콘의 normal상태 이미지 경		
6		SUBMENU_WIDTH	하	위메뉴의 너비		

Transaction

TranMap

,

DEPTH	
TEXT	
ID	ID
TYPE	('menu'/'separator')
ICON_NORMAL	normal
SUBMENU WIDTH	

xDataSet Column Data

xData	xDataSet Column Data 🗓 🖆 🖓 📑 🥫										
순번	DEPTH	DEPTH TEXT ID			ICON_NORMAL	SUBMENU_WIDTH					
1	0	ltem_0	0	menu							
2	0	Item_1	1	menu							
3	0			separator							
4	0	Item_2	2	menu							
5	1	Item_3	3	menu							
6	1	Item_4	4	menu							
7	1	Item_5	5	menu							
8	1	Item_6	6	menu							
9	1	Item_7	7	menu							
10	1	Item_8	8	menu							
11	1	Item_9	9	menu							
12	0			separator							
13	0	Item_11	10	menu							
14	1	Item_12	11	menu							
15	2	Item_13	12	menu							

'

,

•

가

0	ltem_0	0	menu
0	ltem_1	1	menu
0			separator
0	ltem_2	2	menu
1	Item_3	3	menu
1	ltem_4	4	menu
1	ltem_5	5	menu
1	ltem_6	6	menu
1	ltem_7	7	menu
1	ltem_8	8	menu
1	Item_9	9	menu
0			separator
0	ltem_11	10	menu
1	ltem_12	11	menu
2	ltem_13	12	menu

link_data

•

-						
6.0	0	-	-	٤.,	_	
15		-				
	0			ы		

에뉴 퍼블리싱				
4 M M + + 4 T	H <u>I</u> = ⊨ II = + + + + + = ≦		•t: Tree III Grid ▲	TranlO-Map 🔓 Transactio
<u></u>	<u>1 ²⁰⁰111 ³⁰⁰1</u>		속성 - 팝메뉴	
EXT OBJECT			검색:	
			hover color use	1:fore+back
			hover forecolor	8H00E16941&
			hover_backcolor	&H00FFFFF&
			text_margin	3,3,0,0
			padding	0,0,3,3
			navibar_home_normal	
			navibar_prev_normal	
			navibar_up_normal	
			navibar_down_normal	
			navibar_height	0
🛃 팝메뉴 데이터셋 등록		×	icon_width	0
			submenu_width	110
			submenu_icon_normal	
이 데이터셋 ID	xDataSetID_01	•	submenu_gap	0
2121			item_height	20
28			item_padding	3,5,0,0
 Depth 	DEPTH	▼	separator_topcolor	8H00CCCCC8
0 Text	TEXT	•	separator_bottomcolor	2
- Text			menushow effectivities	0:0000
• ID	ID	▼	menuhide effecttype	0:none
• Type	TYPE	→	menushow duration	200
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			menuhide duration	200
 Icon Normal 	ICON_NORMAL	▼	letter spacing	
 Submenu Width 	SUBMENU WIDTH	▼	word_spacing	
			XDataSet	
			link_data	ORMAL:SUBMENU_
			Main Prop	
			hidden	True
	호이	최소	click_setfocus	False
	72	TI	focus_onshow	False
			control_name	txt

가

가

가.

.





width가 16px





xDataSet Column Data

ICON_NORMAL

(DataSet List 🔍 🔂 🔂 🖆 🖆 🧧	xDa	taSet Colum	n 🔍 s	ու նը ։	6 6 6	1 및 d d a a Q	X	
순번 xDataSet ID Description	순번	1	Column			Description	Length	Update
1 🖸 xDataSetID_01	1	DEPTH			메뉴의 깊이)		
	2	TEXT			표시할 텍스	스트		
	3	🗆 ID			메뉴를 구분	분하는 ID		
	4	TYPE			메뉴 유형	('menu'/'separator')		
	5		VORMAL		좌측 아이큰	른의 normal상태 이미지 경로		
	6	SUBM	NU_WIDTH		하위메뉴의	니네비		
	-							
	xDa	taSet Colum	n Data 🛙	b ∆	₽ 6+ 6	a a		
	순변	DEPTH	TEXT	ID	TYPE	ICON_NORMAL	SUBMENU_W	IDTH
	1	0	Item_0	0	menu	/camera.png		
	2	0	Item_1	1	menu			
	3	0			separator			
	4	0	Item_2	2	menu			
	5	1	Item_3	3	menu			
	6	1	Item_4	4	menu			
	7	1	Item_5	5	menu			
	8	1	Item_6	6	menu			
	9	1	Item_7	7	menu			
	10	1	Item_8	8	menu			
	11	1	Item_9	9	menu			
	12	0			separator			
	13	0	Item_11	10	menu			
	14	1	Item_12	11	menu			
	15	2	Item_13	12	menu			



width



.

submenu_width



SUBMENU_WIDTH

Chrom	e	- 1		k 🗐 🐻	🗮 👪 📾 🖬 🖬	L .	10	5 8 00 ¢	÷	-	→ C	ሰ	127.0.0.1:9090/xFrame5.html?xframe_screen_
xData	Set Colum	ון 🗶 s	գե նը հ	0 6 6		<u> </u>			TEXT	۰ ۹	O Item_0		
순번		Column			Description		Length	Update Call			Item_1	-	
1	DEPTH			메뉴의 깊이							Item_2	2	Item_3
2	TEXT			표시할 텍스	E				1		Item 1		Item_4
3	D ID			메뉴를 구분	ê하는 ID				1		-		Item_5
4	TYPE			메뉴 유형 (('menu'/'separator')				1				Item_6
5		ORMAL		좌측 아이콘	은의 normal상태 이미지	경로			1				Item_7
6		NU_WIDTH		하위메뉴의	너비				1				Item_8
									1				Item_9
-													
vDate	Set Colum	Data I I	5 i A	- i + ·									
XData	Set Column			▼ : □' □									
운면	DEPTH	TEXT	ID ID	TYPE	ICON_NORMAL	SU	RWENO [_] M	IDTH					
1	0	item_0	0	menu	/camera.png								
2	0	item_i	1	menu									
3	0	literen O	2	separator		200							
4	0	item_2	2	menu	U	300							
	1	item_3	3	menu									
0	1	Item_4	4	menu									
-	1	Item_6	2	menu									
0	1	Itom 7	7	monu									
10	1	ltem 9	0	menu		_							
11	1	Item 0	0	menu									
12	0	itern_9	5	separator									
12	0	Item 11	10	menu									
14	1	Item 12	11	menu		_							
15	2	Item 12	12	menu		_							
13	2	item_15	12	menu									

submenu_position 1:overlap() 가

🕻 🖾 🌞 🏛 👪 🗛 🥂 Chrome 🗾 👻 🕷)/xFrame5.hti
🗖 popmenu_publishing × 🗗	오브젝트 리스트	
팝메뉴 퍼블리싱		
·····································	•t: Tree III Grid ▲ TranIO-Map 📲 Transaction Item_3	
	속성 - 팝메뉴 🔲 Item_4	
TEXT OBJECT	검색 Item 5	
	menushow_effecttype 0:none ^ Item 7	
	menuhide_effecttype 0:none	
	menushow_duration 200 Item_8	
	menuhide_duration 200	
	letter_spacing	
	word_spacing	
	XDataSet	
	link_data xDataSetID_01:DEPTH:TEXT:ID:	
	🖂 Main Prop	
	hidden True	
2	click_setfocus False	
	focus_onshow False	
	control name txt	
	submenu_position 1:overlap	
	Item_showmaxcount 0	
	menu_mode 0:popmenu	
	Event	
	on_click	
	on_preshow	
	on_hide	
Design Source Transaction TranM ()	· · · · · · · · · · · · · · · · · · ·	
정보	※ 서브메뉴 표시 방식 설정(expand: 서브메뉴가 좌측이나 우측에 표시, overlap: 겹쳐서 표시)	

navibar_home_normal

COFTbase

navibar_prev_normal

navibar_height

popmenu_publishing × P Pump High P Imp High P Inviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal neviba_Inome_normal Item_5 Imo High Imo	🖡 📪 🌞 🛱 🗒 🗒 Ab Chrome	👻 💐 📐 📗 🐻		$\leftarrow \rightarrow$) C	ጨ	① 127.0.0.1:9090/xFrame5.html?xframe5.html?x	
Tore # # # I Tere # Grid Transoction *: Tree # Grid Transoction : Tree # Grid Transoction	□ popmenu_publishing ×	오브젝트리스트						
Text object Text object POPMENU OBJECT POPMENU OBJECT POPMENU OBJECT Popmenu con normal navibar down normal	팝메뉴 퍼블리싱	٩						
POPMENU OBJECT BODY C	E = T L + + E 🖬 H I 🖬 I	•t; Tree III Grid 🔺	l –		/T	ODIECT		
TEXT OBJECT	0. 1 ⁰	속성 - 팝메뉴			162		() K I $($ I	
Image: constraint of the start color in the start color is the start color in the start color is the start color in the start color in the start color is the start color in the start color in the start color is the start color color color is the start color is the start color	TEXT OBJECT	검색						
gradient_endcolor &H00E1E1E1& boxshadow_type 0:none text_shadow_effect True hover_color &H00E16941& hover_forecolor &H00FFFFF& text_margin 3,3,0,0 navibar_new_normal navibar_new_normal navibar_new_normal navibar_neight 0 con_worn 0 0 submenu_vidth 110 110 submenu_icon_normal 0 1tem_5	-	gradient_startcolor	&H00FFFFF& ^		- ID	÷.		
POPMENU OBJECT Disknadow_type O:none text_shadow_effect True hover_clor_use 1:fore+back hover_clor_or &H00E16941& hover_backcolor &H00FFFFFF& text_margin 3,3,0,0 navibar_prome_normal navibar_prome_normal navibar_prome_normal navibar_neight navibar_height 0 submenu_vidth 110 submenu_icon_normal 1 navibar_height 0 item haipitt 20		gradient_endcolor	&H00E1E1E1&		1	n	<	
POPMENU OBJECT text_shadow_effect True hover_color_use 1:fore+back hover_forecolor &H00E16941& hover_forecolor &H00E169FFFF& text_margin 3.3.0.0 padding 0.0.3.3 navibar_home_normal Item_4 navibar_home_normal Item_4 navibar_home_normal Item_5 ubmenu_width 110 submenu_gap 0 item heinbit 20		boxshadow_type	0:none		- 1 4			
POPMENU OBJECT Infore-back hover_forecolor & H00E16941& hover_backcolor & H00E16941& hover_backcolor & H00E1FFFF& text_margin 0,0,3,3 navibar_home_normal Item_4 navibar_home_normal Item_4 navibar_height 0 con_witath 0 submenu_width 110 submenu_gap 0 item height 0 con_witath 120	100-	text_shadow_effect	True					
hover_forecolor hover_backcolor text_margin navibar_home_normal navibar_height navibar_height submenu_width titon submenu_gap 0 0 0 0 0 0 0 0 0 0 0 0 0	POPMENU OBJECT	hover_color_use	1:fore+back					
hover_backcolor @&H00FFFFF& Item_3 hover_backcolor @&H00FFFFF& Item_3 navibar_home_normal navibar_up_normal navibar_up_normal navibar_height 0 con_width 110 submenu_width 110 submenu_gap 0 item height 20		hover_forecolor	AH00E16941&			-	-	
<pre>text_margin 3,3,0,0 padding 0,0,3,3 navibar_home_normal navibar_up_normal navibar_up_normal navibar_height 0 con_width 0 submenu_width 110 submenu_gap 0 item heinbit 20</pre>		hover_backcolor	&HOOFFFFF&			1+	am 2	
navibar_home_normal navibar_prev_normal navibar_height 0 icon_witotn 0 submenu_width 110 submenu_gap 0 item height 20		text_margin	3,3,0,0			ΙU		
navibar_home_normal navibar_prev_normal navibar_height 0 con_witath 0 submenu_width 110 submenu_gap 0 item height 20		padding	0,0,3,3		-			
navibar_prev_normal navibar_down_normal navibar_height 0 con_wirdtn 0 submenu_width 110 submenu_gap 0 item height 20	200- 0	navibar_home_normal						
navioar_up_normal pavibar_down_normal navibar_height 0 con_width 0 submenu_width 110 submenu_gap 0 item heinbt 20		navibar_prev_normal				1.1	4	
navibar down normal navibar_height 0 submen_width 110 submenu_icon_normal submenu_gap 0 item heinbt 20		navibar up normai	-			11	em 4	
navibar_height 0 con_vitatn 0 submenu_width 110 submenu_jcon_normal submenu_gap 0 item height 20		navibar down normal				I C		
submenu_width 110 submenu_con_normal submenu_gap 0 item heinht 20		navibar_height	0					
submenu_width 110 submenu_icon_normal submenu_gap 0 item height 20		Icon_wiath	0				_	
submenu_icon_normal submenu_gap 0 item height 20	300	submenu_width	110			1+	om 5	
submenu_gap 0 item height 20		submenu_icon_normal				IU		
item height 20		submenu_gap	0				—	
		item height	20					

