

grd_sort 가

Last update: 2023/12/13

www.softbase.co.kr
Copyright © SOFTBase Inc. All rights reserved.



grd_sort 가	1
	1
	1

grd_sort 가

soft_func setcolumnsoftfunc API

soft_func

on_sortcomplete

setcolumnsoftfunc ,

: /HTML5/COMPONENT/GGRID/grid_sort_func

- grid_sort_func.xml
- grid_sort_func.js
-

```
/**
 *          ,      (setcolumnsortfunc, getcolumnsortfunc)
 * @param objInst
 * @param nColumn           (Zero-Based)
 * @param nSortOrder         (XFD_GRID_SORT_ASC(1), XFD_GRID_SORT_DES(2))
 * @param nDataType
 *             (XFD_GRID_DATA_NUMERIC(0), XFD_GRID_DATA_ALPANUM(1),
XFD_GRID_DATA_HANGUL(2)
 * @param strValueA           A
 * @param strValueB           B
 * @return      가 XFD_GRID_SORT_ASC      ,
 *             0: strValueA  strValueB      ,
 *             1: strValueA  strValueB
 *             -1: strValueA  strValueB
 *             가 XFD_GRID_SORT_DES      , XFD_GRID_SORT_ASC
 */
function GridSortFunc(objInst, nColumn, nSortOrder, nDataType, strValueA,
strValueB)
{
    var nValue1, nValueB;

    factory.consoleprint("GridSortFunc> nColumn = " + nColumn + ", "
nSortOrder = " + nSortOrder + ", nDataType = " + nDataType);
```

```
factory.consoleprint("GridSortFunc> strValueA = " + strValueA + ",  
strValueB = " + strValueB);  
  
if (nDataType == XFD_GRID_DATA_NUMERIC) {  
    nValueA = parseFloat(strValueA);  
    nValueB = parseFloat(strValueB);  
  
    if (nSortOrder == XFD_GRID_SORT_ASC) { return nValueA - nValueB; }  
    else if (nSortOrder == XFD_GRID_SORT_DES) { return nValueB -  
nValueA; }  
    else { return 0; }  
}  
else {  
    if (strValueA == strValueB) { return 0; }  
    if (nSortOrder == XFD_GRID_SORT_ASC) { return strValueA > strValueB  
? 1 : -1; }  
    else if (nSortOrder == XFD_GRID_SORT_DES) { return strValueA >  
strValueB ? -1 : 1; }  
    else { return 0; }  
}  
}  
  
// "getcolumnsortfunc"  
function btn_getcolumnssoftfunc_on_mouseup(objInst)  
{  
    // 0  
    factory.consoleprint("sortfunc = [" + this.grdList.getcolumnsortfunc(0)  
+ "]");  
}  
  
// "setcolumnssoftfunc"  
function btn_setcolumnssoftfunc_on_mouseup(objInst)  
{  
    // 0  
    this.grdList.setcolumnsortfunc(0, this.fld_sortfunc.gettext());  
}
```

From:
<https://technet.softbase.co.kr/wiki/> - xFrame5 TechNet

Permanent link:
https://technet.softbase.co.kr/wiki/guide/component/grid/grid_sort_func

Last update: 2023/12/13 17:01