

가

Last update: 2023/03/27

가 1

가

Description

- xFrame5 index.js HTML JS index.html, index.js 가 ,
_xf_param
- xFrame5 xFrame5@Admin "xadmin"
- xFrame5 xFrame5@DevStudio "devstudio"

Remarks

- index.js _xf_param factory
- 가 가 ,
factory.gethtmlparam API

Update Date

2019-11-21

Name	Data Type	Default Value	Valid values	Sample Value	Description
GRID_EXCELDOWNLOAD_METHODTYPE	INTEGER	0	0,2	0	0: HTTP, XEXCEL_UPLOAD_URL (DRM 가) 2: SCRIPT, PC (XLSX 가)
XEXCEL_UPLOAD_URL	STRING			URL	URL xexcel5.jar XExcelUpload 가 96_xFrame5_Excel_Guide.pdf
XEXCEL_DOWNLOAD_URL	STRING			URL	URL xexcel5.jar XExcelDownload 가 96_xFrame5_Excel_Guide.pdf
XEXCEL_DOWNLOAD_AJAX	BOOLEAN	false	true,false	true	AJAX true on_filesave 가
XEXCEL_DOWNLOAD_XSSENCODING	BOOLEAN	false	true,false	true	AJAX XSS XEXCEL_DOWNLOAD_AJAX 가 true
XEXCEL_WITHCREDENTIALS	BOOLEAN	false	true,false	true	/ URL AJAX withCredentials

Name	Data Type	Default Value	Valid values	Sample Value	Description
GRID_HORIZSCROLL_MOVEMODE	INTEGER	2	1,2		horzscroll_movemode 0:default 1: column 2: pixel
GRID_HORIZSCROLL_LASTCOLUMNWIDTH	INTEGER	1	1,2		GRID_HORIZSCROLL_MOVEMODE () 1:column 1: none 2: fit
GRID_SCROLLTRACKCLICK_MOVEATYPE	INTEGER	1	0, 1		0: 2: /
KEYMAP_GRID_ENTER_EDITMODE	ARRAY	[13]			(13: Enter, 32: Space)
KEYMAP_GRID_ITEM_MOVENEXT	ARRAY	[]			
GRID_EXCELDOWNLOAD_ITEMSTYLE	BOOLEAN	false	true, false	true	
GRID_EXCELDOWNLOAD_FORECOLOR	BOOLEAN	false	true, false	true	
GRID_EXCELDOWNLOAD_ITEMMERGE	BOOLEAN	false	true, false	true	
GRID_EXCELDOWNLOAD_LINENUMBER	BOOLEAN	false	true, false	true	
GRID_EXCELDOWNLOAD_CONVNUMBER	BOOLEAN	false	true, false	true	
GRID_EXCELDOWNLOAD_COLUMNZEROWIDTH	INTEGER	0	0	200	가 0
GRID_EXCELDOWNLOAD_COLUMNWIDTHHTYPE	INTEGER	-1	0, -1, -2, -3	-3	0 -1 GRID_EXCELDOWNLOAD_COLUMNWIDTHHTYPE (: -2)가 -2 -3 가
GRID_EXCELDOWNLOAD_NUMBERPATTERN	INTEGER	0	0,1,2	2	0: 1: 2:
GRID_EXCELDOWNLOAD_COMBOEXCELSTYLE	INTEGER	1	1,2	2	combobox_excelstyle () 1: 2:
GRID_READFILE_ENCODING	STRING	UTF-8	UTF-8, EUC-KR	2	readcsv, readtext API UTF-8: UTF-8 EUC-KR: EUC-KR
GRID_DBLCLICKEDIT	BOOLEAN	true	true, false		. false

Name	Data Type	Default Value	Valid values	Sample Value	Description
GRID_CLICKEDIT_TYPE	BOOLEAN	1	1,2		GRID_DBLCLICKEDIT 가 false 1: 2:
GRID_MOUSEWHEEL_ACTIVEALWAYS	BOOLEAN	false	true, false		WHEEL 가
GRID_MOUSEWHEEL_HORZSCROLL	BOOLEAN	false	true, false		WHEEL
GRID_MOUSECLICK_ITEMSELECT	BOOLEAN	false	true, false		
GRID_CONTEXTMENU_TARGETITEM	INTEGER	1	1, 2		Context ITEM 1: 2:
GRID_EDITBOX_MULTILINE_NEWLINE	INTEGER	0	0, 1, 2		0: ALT + ENTER(EXCEL), 1: SHIFT ENTER, 2: ENTER
GRID_EDITBOX_MULTILINE_TAB	INTEGER	0	0, 1, 2		Tab 0: none, 1: SHIFT TAB, 2: TAB
GRID_EDITBOX_ESCAPE_HTML	BOOLEAN	false	true, false		EDITBOX , HTML true: HTML input_type 7:html false: HTML
GRID_CHECK_HIDDEN_ROW	INTEGER	2	1, 2		check_hidden_row 0:default 1: exclude(), 2: include()()
GRID_CHECKROWCLICK_STARTROWTYPE	INTEGER	1	1, 2		SHIFT 1: () 2:
GRID_EXCEL_HIDDEN_ROW	INTEGER	2	1, 2		1: exclude(), 2: include()()
GRID_EXCEL_HIDDEN_COLUMN	INTEGER	2	1, 2		1: exclude(), 2: include()()
GRID_EXCEL_TREE_DEPTHUNIT	INTEGER	0	0, 1, 2, 3		0: 1:
GRID_CSVDOWNLOAD_METHODTYPE GRID_TXTDOWNLOAD_METHODTYPE GRID_XMLDOWNLOAD_METHODTYPE GRID_JSONDOWNLOAD_METHODTYPE	INTEGER	1	1, 2		CSV, TEXT, XML, JSON 1: SCRIPT(), 2: HTTP, XDATAFILE_UPLOAD_URL URL(XDATAFILE_DOWNLOAD_URL () () DRM ()
XDATAFILE_DOWNLOAD_URL	STRING			URL	URL xdatafile5.jar XDataFileDownload 가 96_xFrame5_Excel_Guide.pdf

Name	Data Type	Default Value	Valid values	Sample Value	Description
GRID_CSVUPLOAD_METHODTYPE GRID_TXTUPLOAD_METHODTYPE	INTEGER	1	1, 2		CSV, TEXT 1: SCRIPT(), 2: HTTP, XDATAFILE_UPLOAD_URL URL(XDATAFILE_UPLOAD_URL) () DRM ()
XDATAFILE_UPLOAD_URL	STRING			URL	CSV, TEXT URL xdatafile5.jar XDataFileUpload 가 96_xFrame5_Excel_Guide.pdf
GRID_EXCELUPLOAD_METHODTYPE	INTEGER	0	0, 1		0: HTTP(), 1: XPLUS()
GRID_EXCELUPLOAD_MAXSIZE	INTEGER	0			excel_upload_maxsize 0 0: >0: (:)
GRID_SCROLLMOVE_ONFOCUS	INTEGER	1	1, 2		(: scroll_onfocus) 1: scroll, 2: none
GRID_SELECTROW_HOVERSTYLE	INTEGER	1	1, 2		1: exclude()(), 2: include()
GRID_HOVERROW_APPLYTYPE	INTEGER	1	1, 2		1: tr() 2: item, (.statusrow) 3: item-statusrow, (.statusrow)
GRID_COPY_KEY_ACTION	INTEGER	1	1, 2, 3, 4		Control+C 1: item(), 2: row, 3: all, 4: none
GRID_COPY_DATA_TYPE	INTEGER	1	1, 2		Control+C 1: value(), 2: display-text
GRID_COPYALL_HEADER_ITEM	INTEGER	1	1, 2		1: exclude()() 2: include()
GRID_COPY_HIDDEN_ITEM	INTEGER	1	1, 2		1: exclude()() 2: include()
GRID_PASTE_HIDDEN_ITEM	INTEGER	1	1, 2		1: exclude()() 2: include()
GRID_PASTE_NONEDIT_ITEM	INTEGER	1	1, 2		가 1: skip-paste-value (), 2: keep-paste-value
GRID_STATISTICS_MERGEDITEM	INTEGER	1	1, 2		1: include() 2: exclude()
GRID_STATISTICS_HIDDENITEM	INTEGER	1	1, 2		1: include() 2: exclude()
GRID_STATISTICS_COUNTTYPE	INTEGER	1	1, 2		1: include blank 2: exclude blank
GRID_STATISTICS_COUNTDATATYPE	INTEGER	1	1, 2		1: all 2: only number

Name	Data Type	Default Value	Valid values	Sample Value	Description
GRID_FOCUS_STYLE	INTEGER	1	1, 2		가 1: none, 2: border,
GRID_FOCUS_STYLE_BORDER	INTEGER	1	1, 2		가 1: none, 2: compare,
GRID_TREELINESTYLE	INTEGER	1	0, 1		has_lines true TREE_LINESTYLE 가 0: 1: /
GRID_MOBILEMODE_APPLY	INTEGER	1	1, 2		1: none 2: apply
GRID_MOBILEMODE_SCROLLBARHIDE	INTEGER	1	1, 2		1: none 2: apply
GRID_AUTOCOLUMNWIDTH_1_RESIZETYPE	INTEGER	2	1, 2		autocolumnwidth 1:auto Resize 1: 2:
GRID_AUTOCOLUMNWIDTH_FIXEDCOLS	INTEGER	2	1, 2		autocolumnwidth 1: exclude() 2: include()
GRID_AUTOCOLUMNWIDTH_UNRESIZABLE	INTEGER	2	1, 2		autocolumnwidth resize false 1: exclude() 2: include()
GRID_SORTSTARTORDER_ASCENDING	BOOLEAN	true	true, false		true: false:
GRID_HEADERCLICK_SORTRELEASE	INTEGER	1	1, 2		header_clicksort_release 0(default) 1: () 2:
GRID_COLUMNMERGE_BLANKVALUE	BOOLEAN	true	true, false		
GRID_NONEDITABLE_SHOWSELECTBOX	BOOLEAN	false	true, false		combobox/calendar_editable false false combobox_showselectbox_focusin, calendar_showcalendar_focusin
GRID_COMBOBUTTONCLICK_EDIT	BOOLEAN	true	true, false		
GRID_CALENDARBUTTONCLICK_EDIT	BOOLEAN	true	true, false		
GRID_CHECKBOXITEM_CLICKCHECK	BOOLEAN	false	true, false		가 TD
GRID_HYPERLINKITEM_FIREEVENT	BOOLEAN	true	true, false		TD hyperlink false on_itemclick, on_itemdblclick 가

Name	Data Type	Default Value	Valid values	Sample Value	Description
GRID_AUTOSKIP_DIR	INTEGER	1	1, 2		가 1: row 2: column
GRID_AUTOSKIPCOLUMNM_HORZARROWKEY	INTEGER	1	1, 2		auto_skip_dir column 1: edit move (/ 가 2: none (.)
GRID_ITEMEDIT_ARROWKEYACTION	INTEGER	3	0, 1, 2, 3		0: 1: 2: 3:
GRID_FINDPOPUP_COMPARETYPE	INTEGER	1	0, 1, 2, 3		0: all, 1: first(), 2:last, 3:middle
GRID_HEADERCHECKCLICK_FIRETYPE	INTEGER	0	0, 1, 2		0: on_headercheckclick 1: on_headerclick 2: on_headerclick on_headercheckclick
GRID_FILTER_SAVE	BOOLEAN	false	true,false	true	
GRID_FILESAVE_CALL_EXPRFUNC	INTEGER	1	1, 2		expr_func 1: none() 2: call()
GRID_STATUSROW_DISPLAYMODE	INTEGER	1	1, 2, 3		statusrow_displaymode 0:default 1: color() 2: title 3: color+title
GRID_INSERTROW_BACKCOLOR, GRID_INSERTROW_FORECOLOR, GRID_DELETEROW_BACKCOLOR, GRID_DELETEROW_FORECOLOR, GRID_UPDATEROW_BACKCOLOR, GRID_UPDATEROW_FORECOLOR, GRID_NORMALROW_BACKCOLOR, GRID_NORMALROW_FORECOLOR	ARRAY	undefined		[255,0,0]	statusrow_displaymode color가 Red, Green, Blue
GRID_INSERTROW_TITLE, GRID_DELETEROW_TITLE, GRID_UPDATEROW_TITLE, GRID_NORMALROW_TITLE	STRING	undefined		I, D, U	statusrow_displaymode title
MANDATORYCOLUMNCOLOR, MANDATORYCOLUMNFORECOLOR, OPTIONALCOLUMNCOLOR, OPTIONALCOLUMNFORECOLOR, PROTECTCOLUMNCOLOR, PROTECTCOLUMNFORECOLOR	ARRAY	undefined		[255,0,0]	apply_inputtypecolor true (가)/ (가)/ (가) Red, Green, Blue

From: <http://technet.softbase.co.kr/wiki/> - **xFrame5 TechNet**

Permanent link: http://technet.softbase.co.kr/wiki/guide/general/grid_parameter_guide



Last update: **2023/03/27 15:52**