

# 가

Last update: 2024/10/24

가	.....	1	
/	.....	1	
.....	.....	1	
.....	.....	1	
.....	.....	1	
.....	.....	2	
.....	.....	2	
API	.....	2	
.....	.....	3	
가	API	.....	4
.....	.....	5	
HTML	.....	6	
xf_i18n.js	.....	6	

# 가

- /
- 

/

	<b>S/W</b>	
xFrame5	xFrame5@DevStudio	“ ”
DBMS	jsp	WAS DB xFrame5@DevStudio jsp 가 META 가
WAS	J2EE	J2EE WAS
JDBC Driver	JDBC Driver	DB JDBC
DB	DBMS	<ul style="list-style-type: none"> <li>• DBMS , ID</li> <li>• 가</li> </ul> , jsp 가

## USER\_LANGUAGE, SCREEN\_LANGUAGE

- SCREEN\_LANGUAGE
- USER\_LANGUAGE 가

USER\_LANGUAGE xframe5.js

factory.setlocale API , USER\_LANGUAGE

## **USER\_LANGUAGE, SCREEN\_LANGUAGE** 가

ID 가 ,  
screen.loadmeta API

- META\_ID=META\_INFORMATION

- UTF-8
- “\r\n”
- “ = ” 가 “ ”
- META\_INFORMATION ‘ # ’

- API
- 가 API

	META_ID	xFrame5
가	META_ID	“ ”

**API**

API

API

- screen.loadmeta

URL

factory.meta~

API

- factory.setlocale

가

“SysUtil”

“CallbackMetaData”

- CALLBACK\_META\_DATA: “SysUtil.CallbackMetaData”,

META\_ID

```
/**
 *
 * @param meta_id      ID
 * @param meta_value   ID
 * @param screen_url   URL
 * @param object_kind   (XFD_OBJKIND_CONTROL/XFD_OBJKIND_SHAPE)
 * @param component_kind (getcontrolkind, getshapekind)
 *
 * @param prop_info     (key:      , value:      )
 * @param user_language
 * @param user_country   가
 * @returns 1 -          , 0 -          (          )
 */
function CallbackMetaData(meta_id, meta_value, screen_url, screen_id,
                           object_kind, component_kind,
                           prop_info, user_language, user_country) {
    return 1;
}
```

```
function CallbackMetaData(meta_id, meta_value, screen_url, screen_id,
                           object_kind, component_kind,
                           prop_info, user_language, user_country) {
    var meta_item_arr;
```

```

//      '|'
meta_item_arr = meta_value.split('|');
if (object_kind == XFD_OBJKIND_CONTROL) {
    switch (component_kind) {
        case XFD_CTRLKIND_HYPertext:
        case XFD_CTRLKIND_PUSHBUTTON:
        case XFD_CTRLKIND_CHECKBOX:
        case XFD_CTRLKIND_RADIOBUTTON:
            prop_info['text'] = meta_item_arr[0];
            prop_info['tooltip'] = meta_item_arr[0] + '_tooltip';
            break;
        case XFD_CTRLKIND_TABITEM: //
            prop_info['title'] = meta_item_arr[0];
            break;
        case XFD_CTRLKIND_GRIDCOLUMNHEAD: //
            prop_info['title'] = meta_item_arr[0];
            break;
        case XFD_CTRLKIND_GRIDCOLUMNData: //
            break;
        default:
            break;
    }
}
else if (object_kind == XFD_OBJKIND_SHAPE) {
    switch (component_kind) {
        case XFD_SHAPEKIND_CAPTION:
            prop_info['text'] = meta_item_arr[0];
            return 1;
        default:
            break;
    }
}
return 0; //
}

```

## 가 API

```

VALUE_THOUSANDS_SEPARATOR: ',', //
VALUE_DECIMAL_SEPARATOR: '.', //
SCREEN_LANGUAGE: 'ko', //
SCREEN_COUNTRY: 'kr', // 가
SCREEN_THOUSANDS_SEPARATOR: ',', //
SCREEN_DECIMAL_SEPARATOR: '.', //
SCREEN_FONT: [' ',9,0,0,0,0], // (xframe5.css )
USER_LANGUAGE: 'ko', // ('ko'/'en'),
USER_COUNTRY: 'kr', // 가('kr'/'us'),

```

```

USER_THOUSANDS_SEPARATOR: ',', //
USER_DECIMAL_SEPARATOR: '.', //
IS_INPUT_RTL: false, // ( : false)
HOLIDAY_COLOR: [236,109,97], //
SUNDAY_COLOR: [236,109,97], //
SATURDAY_COLOR: [104,169,219], //
FRIDAY_COLOR: [102,102,102], //
WEEKDAY_COLOR: [102,102,102], //

// / ( / , / )
HOLIDAY_LIST: [
    { date: '0101', title: ' ', is_holiday: true },
    { date: '0301', title: '3.1 ', is_holiday: true },
    { date: '0505', title: ' ', is_holiday: true },
    { date: '0606', title: ' ', is_holiday: true },
    { date: '0815', title: ' ', is_holiday: true },
    { date: '1003', title: ' ', is_holiday: true },
    { date: '1009', title: ' ', is_holiday: true },
    { date: '1225', title: ' ', is_holiday: true }
],

// ,
FIRSTDAY_OF_WEEK: 0, // 0: sunday, 1:monday
DAYNAME_OF_WEEK: [' ', ' ', ' ', ' ', ' ', ' ', ' '],
FULL_DAYNAME_OF_WEEK: [' ', ' ', ' ', ' ', ' ', ' ', ' ', ' ', ' ', ' ', ' ', ' '],
MONTHNAME_OF_YEAR: ['1 ', '2 ', '3 ', '4 ', '5 ', '6 ', '7 ', '8 ', '9 ', '10 ', '11 ', '12 '],
FULL_MONTHNAME_OF_YEAR: ['1 ', '2 ', '3 ', '4 ', '5 ', '6 ', '7 ', '8 ', '9 ', '10 ', '11 ', '12 '],
SCHEDULE_DAYNAME_OF_WEEK: [' [Sun]', ' [Mon]', ' [Tue]', ' [Wed]', ' [Thu]', ' [Fri]', ' [Sat]']

```

**API**

가 API API factory

setlocaleseparator	.
setfirstdayofweek	.
setlocalecalendar	.
setpicklistbaseur	URL .
setholiday	.
setinputrtl	.

```

/
HTML
"xf_i18n.js"
xf_i18n.js

```

## HTML

```

<script type="text/javascript" src="./xf5/lib/xf_const.min.js"></script>
<script type="text/javascript" src="./xf_i18n.js"></script>
<script type="text/javascript" src="./xf5/lib/xf_engine.min.js"></script>

```

## xf\_i18n.js

```

/**
 *
 * @param country      ('kr'/'us'/'cn'), USER_COUNTRY
 * @param language     ('ko'/'en'/'zh'), USER_LANGUAGE
 * @param ko_text
 * @param en_text
 * @returns display_text
 */
function _xfi_enginetext(country, language, ko_text, en_text) {
    var display_text;

    //      country, language
    if (language == 'ko') { return ko_text; }
    else if (language == 'en') { return en_text; }
    else if (language != 'zh') { return en_text; }

    display_text = ko_text;

    //
    switch (ko_text) {
        case "      .      ?" :
            display_text = "Delete it will also delete the child. Are you
sure you want to delete it?";
            break;
    }

    //
    return display_text;
}

```



From:

<http://technet.softbase.co.kr/wiki/> - **xFrame5 TechNet**

Permanent link:

[http://technet.softbase.co.kr/wiki/guide/general/multi\\_language\\_guide](http://technet.softbase.co.kr/wiki/guide/general/multi_language_guide)



Last update: **2024/10/24 14:34**