



Last update: 2025/11/21

www.softbase.co.kr
Copyright © SOFTBase Inc. All rights reserved.



.....	1
.....	1
.....	1

xFrame5

- xFrame5가 (SSO) xFrame5 CORS() ?
- xFrame5 "A" xFrame5 "B"
- xadmin 가 ?
- xFrame5 404 Not Found 가 .MimeType
- xFrame5 가 ?
- JEUS Servlet hasn't read all of the HTTP body 가 ?
- TOMCAT org.json.simple.JSONValue.parse 가 ?

xFrame5가 (SSO) ?
xFrame5 CORS()

가 .html "xframe_screen_mainframe" "1" .
 . 가 .

xFrame5 "A" xFrame5 "B"
 ?

"B" .html "xframe_screen_mainframe" "1" .
 . 가 .

xadmin 가 ?

xadmin xFrame5 UI

xFrame5 404 Not Found .
MimeType 가 ?

xFrame5 MimeType
 .
 webtob

- IstMimeType = "text/plain", SrvType = HTML
 - xstlMimeType = "text/plain", SrvType = HTML
 - picMimeType = "text/plain", SrvType = HTML

TOMCAT

```
<mime-mapping>
    <extension>xstl</extension>
    <mime-type>text/plain</mime-type>
</mime-mapping>
<mime-mapping>
    <extension>lst</extension>
    <mime-type>text/plain</mime-type>
</mime-mapping>
<mime-mapping>
    <extension>pic</extension>
    <mime-type>text/plain</mime-type>
</mime-mapping>
```

JEUS Servlet hasn't read all of the HTTP body

가

?

JEUS

webtob connector

postdata read timeout

|EUS postdata-read-timeout

- : WEBMain.xml
 - XML: <jeus-system><web-container><context-group><webserver-connection><webtob-listener><postdata-read-timeout>
 - : postdata read timeout Web post-data
 - : millisecond value
 - : 30000

webtob

- | | HTTP | 가 | Request Body |
|-----------|---------|---|--------------|
| • | | , | |
| • 0 | | . | |
| • default | 0 bytes | . | |

TOMCAT

?

org.json.simple.JSONArrayValue.parse

가

maxPostSize

- 1)

maxParameterCount

- 1

0

(Tomcat

maxPostSize



- The maximum size in bytes of the POST which will be handled by the container FORM URL parameter parsing.
- The limit can be disabled by setting this attribute to a value less than or equal to 0.
- If not specified, this attribute is set to 2097152 (2 megabytes).)

maxParameterCount

- The maximum number of parameter and value pairs (GET plus POST) which will be automatically parsed by the container.
- Parameter and value pairs beyond this limit will be ignored.
- A value of less than 0 means no limit. If not specified, a default of 10000 is used.
- Note that FailedRequestFilter filter can be used to reject requests that hit the limit.)

From:

<https://technet.softbase.co.kr/wiki/> - **xFrame5 TechNet**

Permanent link:

https://technet.softbase.co.kr/wiki/qna/qna_admin

Last update: **2025/11/21 17:13**

